



NTN Bearing Rolamentos do Brasil Ltda.

55 mm x 90 mm x 18 mm NTN 6011ZZ/5K Single row deep groove ball bearings

Bearing No. 6011ZZ/5K

d	55 mm
D	90 mm
B	18 mm
rs min	1.1 mm
Radial clearance class	CN
Mass	0.39 kg
Dynamic load, C	28.3 kN
Static load, C0	21.2 kN
Fatigue limit load, Cu	0.96 kN
f0	15.3
Nlim (grease)	7,700 rpm
Min operating temperature, Tmin	-20 ° C
Max operating temperature, Tmax	120 ° C
Characteristic cage frequency, FTF	0.43 Hz
Characteristic rolling element frequency, BSF	6.88 Hz
Characteristic outer ring frequency, BPF0	5.58 Hz
Characteristic inner ring frequency, BPF1	7.42 Hz
da min	61.5 mm
Da max	83.5 mm
ra max	1 mm
Category	Single Row Ball Bearings

6011ZZ/5K Bearing 2D drawings and 3D CAD models



NTN Bearing Rolamentos do Brasil Ltda.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.385
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	55MM Bore; 90MM Outside Diameter; 18MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Stee
Other Features	Deep Groove Prelubricated
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Weight / LBS	0.85539
Inner Race Width	0 Inch 0 Millimeter
Bore	2.165 Inch 55 Millimeter



NTN Bearing Rolamentos do Brasil Ltda.

Outer Race Width	0.709 Inch 18 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter